

## **Customer toilet reopening checklist**

Item		Action / Comments
Risk assessment		
Public toilet provision must be included in your Covid-19 risk assessment.		
Coole	I distancing.	
	al distancing:	
•	MUST take all reasonable measures to:  Ensure 2m distancing between all persons (staff and customers) within the toilets  Ensure a suitable maximum number of persons are permitted in the toilets (to facilitate 2m distancing)	
•	Ensure 2m distancing between persons waiting outside to enter the toilets	
Things to consider:		
•	Means to restrict numbers	
•	Signage reminding customers to maintain 2m social distancing	
•	Closure of some toilet stalls and urinal facilities to aid distancing	
•	Opening any additional facilities (eg disabled, baby change) to assist distancing controls	
•	Display hand wash poster reminding customers to wash for at least 20 secs. Effective hand washing is a known control for Covid-19	
•	Guidance suggests hand driers can disperse the virus in the air. We recommend disabling hand driers and providing disposable paper towels where possible	
•	Replenish liquid soap & paper hand towels as necessary	
•	Designated entry and exit routes to indoor toilets where possible	



Cleaning & disinfection			
An enhanced more frequent cleaning and monitoring schedule should be designed and implemented. It is advisable to keep a written record. Staff must be trained to implement the schedule and be provided with suitable PPE.			
Remember to include touch surfaces (door handles, taps, flush, soap dispensers etc)			
Additional measures			
Provide hand sanitiser on entrance/exit to the toilet facilities. Include clear signage that this is not to replace thorough hand washing			
Increase ventilation where you can. For example leave external windows open and switch on any extraction			
Drivers delivering to your premises are entitled (under Health and Safety legislation) to be afforded use of the premises toilet facilities			

It may be that your customers wish to wash their hands more frequently without visiting the toilet facilities. A separate handwashing facility might be a consideration. Consider requiring customers to wear face coverings

Signage to advise customers to use a paper towel to turn off taps and operate door handles once hands

Use non lidded or foot operated bins in order to reduce

whilst using the toilet facilities

have been washed

hand contact points

Double bag waste bins